

| ----- POPULATION ESTIMATES ----- | | | | ----- LONG-TERM CARE ----- | | ----- LOCAL HEALTH DEPARTMENTS ----- | | |
|--|----------------|---------|---------|---|-------|--------------------------------------|-------------|------------|
| Total 2001 Population 230,000 | | | | Community Options and MA Waiver Programs (includes Oneida tribe) | | Per 10,000 Population | | |
| Population per square mile 435 | | | | Clients Costs | | Staffing - FTE | Number | |
| County ranking in state (1-72) 5 | | | | COP 453 \$2,467,101 | | Total staff | 42 | 1.8 |
| Age | Female | Male | Total | MA Waiver * | | Administrative | 6 | 0.3 |
| 0-14 | 24,360 | 25,480 | 49,840 | CIP1A 39 \$1,984,685 | | Professional staff | 24 | 1.1 |
| 15-19 | 8,510 | 8,750 | 17,250 | CIP1B 371 \$8,042,853 | | Technical/Paraprof. | 6 | 0.3 |
| 20-24 | 8,300 | 8,650 | 16,950 | CIP2 72 \$1,100,238 | | Support staff | 6 | 0.2 |
| 25-29 | 7,750 | 8,420 | 16,170 | COP-W 451 \$4,032,440 | | Funding Per capita | | |
| 30-34 | 8,550 | 9,260 | 17,810 | CSLA 1 \$445 | | Total | \$2,776,130 | \$12.13 |
| 35-39 | 9,860 | 10,130 | 19,990 | Brain Injury 6 \$296,807 | | Local Taxes | \$1,920,299 | \$8.39 |
| 40-44 | 9,470 | 9,860 | 19,330 | Total COP/Wvrs 1,042 \$17,924,570 | | ----- LICENSED ESTABLISHMENTS ----- | | |
| 45-54 | 15,330 | 15,380 | 30,710 | \$399,008 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. | | Type | Capacity | Facilities |
| 55-64 | 8,850 | 8,540 | 17,390 | * Waiver costs reported here include federal funding. | | Bed & Breakfast | 11 | 3 |
| 65-74 | 6,800 | 5,660 | 12,460 | Clients Costs | | Camps | 378 | 4 |
| 75-84 | 5,390 | 3,330 | 8,720 | Eligible and Waiting 449 n/a | | Hotels, Motels | 3,513 | 48 |
| 85+ | 2,480 | 900 | 3,380 | (Family Care not provided in county) | | Tourist Rooming | 0 | 0 |
| Total | 115,630 | 114,360 | 230,000 | Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. | | Pools | | 129 |
| Age | Female | Male | Total | | | Restaurants | | 876 |
| 0-17 | 29,310 | 30,660 | 59,960 | | | Vending | | 10 |
| 18-44 | 47,490 | 49,890 | 97,380 | | | ----- WIC PARTICIPANTS ----- | | |
| 45-64 | 24,180 | 23,920 | 48,100 | | | Number | | |
| 65+ | 14,670 | 9,890 | 24,560 | | | Pregnant/Postpartum | | 2,504 |
| Total | 115,630 | 114,360 | 230,000 | | | Infants | | 2,599 |
| Poverty Estimates for 2000 | | | | | | Children, age 1-4 | | 3,297 |
| Estimate (C.I.+/-) | | | | | | Total | | 8,400 |
| All ages | 15,643 | 623 | | | | ----- CANCER INCIDENCE ----- | | |
| | 6.9% | (4%) | | | | 1999 | | |
| Ages 0-17 | 4,873 | 309 | | | | Primary Site | Number | |
| | 8.2% | (6%) | | | | Breast | | 168 |
| ----- EMPLOYMENT ----- | | | | | | Cervical | | 32 |
| Average wage for jobs covered by unemployment compensation | \$32,551 | | | Home Health Agencies | 7 | Colorectal | | 126 |
| Note: based on place of work | | | | Patients | 3,922 | Trachea, Bronchus, Lung | | 97 |
| | | | | Patients per 10,000 pop. | 170 | Prostate | | 158 |
| Labor Force Estimates | Annual Average | | | Nursing Homes | 14 | Other sites | | 388 |
| Civilian Labor Force | 138,623 | | | Licensed beds | 1,419 | Total | | 969 |
| Number employed | 133,333 | | | Occupancy rate | 83.2% | | | |
| Number unemployed | 5,290 | | | Residents on Dec.31 | 1,154 | | | |
| Unemployment rate | 3.8% | | | Residents age 65 or older per 1,000 population | 43 | | | |

NATALITY

| NATALITY | | | | | | | | | | | | | |
|--|--|--|--------|------------------|---|--------|---------------|--------------------------|-----------------------------------|--------|---------------|---------|---------|
| TOTAL LIVE BIRTHS | | | 3,232 | Birth Order | | Births | Percent | Marital Status of Mother | | Births | Percent | | |
| Crude Live Birth Rate | | | 14.0 | First | | 1,270 | 39 | Married | | 2,311 | 72 | | |
| General Fertility Rate | | | 61.6 | Second | | 1,123 | 35 | Not married | | 921 | 28 | | |
| Live births with reported congenital anomalies | | | 28 | Third | | 524 | 16 | Unknown | | 0 | 0 | | |
| | | | 0.9% | Fourth or higher | | 314 | 10 | | | | | | |
| | | | | Unknown | | 1 | <.5 | | | | | | |
| Delivery Type | | | Births | Percent | First Prenatal Visit | | Births | Percent | Education of Mother | | Births | Percent | |
| Vaginal after previous cesarean | | | 57 | 2 | 1st trimester | | 2,721 | 84 | Elementary or less | | 158 | 5 | |
| Forceps | | | 38 | 1 | 2nd trimester | | 429 | 13 | Some high school | | 392 | 12 | |
| Other vaginal | | | 2,617 | 81 | 3rd trimester | | 58 | 2 | High school | | 925 | 29 | |
| Primary cesarean | | | 334 | 10 | No visits | | 19 | 1 | Some college | | 820 | 25 | |
| Repeat cesarean | | | 186 | 6 | Unknown | | 5 | <.5 | College graduate | | 935 | 29 | |
| Other or unknown | | | 0 | 0 | | | | | Unknown | | 2 | <.5 | |
| Birthweight | | | Births | Percent | Number of Prenatal Care visits | | Births | Percent | Smoking Status of Mother | | Births | Percent | |
| <1,500 gm | | | 35 | 1.1 | No visits | | 19 | 1 | Smoker | | 513 | 16 | |
| 1,500-2,499 gm | | | 133 | 4.1 | 1-4 | | 65 | 2 | Nonsmoker | | 2,718 | 84 | |
| 2,500+ gm | | | 3,062 | 94.7 | 5-9 | | 471 | 15 | Unknown | | 1 | <.5 | |
| Unknown | | | 2 | <.5 | 10-12 | | 1,271 | 39 | | | | | |
| | | | | | 13+ | | 1,402 | 43 | | | | | |
| | | | | | Unknown | | 4 | <.5 | | | | | |
| | | | | | | | | | | | | | |
| Race of Mother | | | Births | Percent | Low Birthweight (under 2,500 gm) | | 1st Trimester | | Trimester of First Prenatal Visit | | Other/Unknown | | |
| | | | | | Births | | Percent | Births | Percent | Births | Percent | Births | Percent |
| White | | | 2,880 | 89 | 151 | | 5.2 | 2,492 | 87 | 328 | 11 | 60 | 2 |
| Black | | | 45 | 1 | 5 | | 11.1 | 28 | 62 | 11 | 24 | 6 | 13 |
| Other | | | 307 | 9 | 12 | | 3.9 | 201 | 65 | 90 | 29 | 16 | 5 |
| Unknown | | | 0 | 0 | . | | . | . | . | . | . | . | . |
| | | | | | | | | | | | | | |
| Age of Mother | | | Births | Fertility Rate | Low Birthweight (under 2,500 gm) | | 1st Trimester | | Trimester of First Prenatal Visit | | Other/Unknown | | |
| | | | | | Births | | Percent | Births | Percent | Births | Percent | Births | Percent |
| <15 | | | 2 | -- | * | | . | * | . | * | . | * | . |
| 15-17 | | | 103 | 21 | 5 | | 4.9 | 60 | 58 | 34 | 33 | 9 | 9 |
| 18-19 | | | 185 | 52 | 11 | | 5.9 | 126 | 68 | 51 | 28 | 8 | 4 |
| 20-24 | | | 677 | 82 | 32 | | 4.7 | 515 | 76 | 136 | 20 | 26 | 4 |
| 25-29 | | | 959 | 124 | 51 | | 5.3 | 853 | 89 | 89 | 9 | 17 | 2 |
| 30-34 | | | 865 | 101 | 41 | | 4.7 | 779 | 90 | 74 | 9 | 12 | 1 |
| 35-39 | | | 385 | 39 | 22 | | 5.7 | 342 | 89 | 36 | 9 | 7 | 2 |
| 40+ | | | 56 | 6 | 6 | | 10.7 | 46 | 82 | 8 | 14 | 2 | 4 |
| Unknown | | | 0 | -- | . | | . | . | . | . | . | . | . |
| Teenage Births | | | 290 | 34 | * Not reported: age or race category has less than 5 births | | | | | | | | |

MORTALITY

| | | | | | |
|---|--------|---|--------|--------|---|
| REPORTED* CASES OF SELECTED DISEASES | | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | |
| Disease | Number | TOTAL DEATHS | | 1,598 | Selected |
| Campylobacter Enteritis | 40 | Crude Death Rate | | 694 | Underlying Cause |
| Giardiasis | 23 | | | | Deaths |
| Hepatitis Type A | <5 | | | | Rate |
| Hepatitis Type B** | 14 | Age | Deaths | Rate | Heart Disease (total) |
| Hepatitis NANB/C | 58 | 1-4 | 4 | . | 464 |
| Legionnaire's | <5 | 5-14 | 2 | . | Ischemic heart disease |
| Lyme | 0 | 15-19 | 10 | . | 326 |
| Measles | 0 | 20-34 | 44 | 86 | 142 |
| Meningitis, Aseptic | 16 | 35-54 | 158 | 226 | Cancer (total) |
| Meningitis, Bacterial | <5 | 55-64 | 142 | 817 | 368 |
| Mumps | 0 | 65-74 | 252 | 2,023 | Trachea/Bronchus/Lung |
| Pertussis | <5 | 75-84 | 460 | 5,274 | 93 |
| Salmonellosis | 21 | 85+ | 506 | 14,969 | Colorectal |
| Shigellosis | <5 | | | | 42 |
| Tuberculosis | 9 | | | | 18 |
| | | | | | Female Breast |
| | | | | | 28 |
| | | | | | 24* |
| | | | | | Cerebrovascular Disease |
| | | | | | 140 |
| | | | | | 61 |
| | | | | | Lower Resp. Disease |
| | | | | | 72 |
| | | | | | 31 |
| | | | | | Pneumonia & Influenza |
| | | | | | 43 |
| | | | | | 19 |
| | | | | | Accidents |
| | | | | | 67 |
| | | | | | 29 |
| | | | | | Motor vehicle |
| | | | | | 30 |
| | | | | | 13 |
| | | | | | Diabetes |
| | | | | | 44 |
| | | | | | 19 |
| | | | | | Infectious & Parasitic |
| | | | | | 23 |
| | | | | | 10 |
| | | | | | Suicide |
| | | | | | 33 |
| | | | | | 14 |
| * 2001 provisional data | | Infant | | | |
| ** Includes all positive HBsAg test results | | Mortality | Deaths | Rate | * Rate for female breast cancer based on female population. |
| | | Total Infant | 20 | 6.2 | |
| | | Neonatal | 14 | . | |
| | | Postneonatal | 6 | . | |
| | | Unknown | . | . | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH |
| Sexually Transmitted Disease | | Race of Mother | | | |
| Chlamydia Trachomatis | 622 | White | 18 | . | Alcohol |
| Genital Herpes | 144 | Black | 1 | . | 34 |
| Gonorrhea | 119 | Other | 1 | . | 15 |
| Syphilis | <5 | Unknown | . | . | Other Drugs |
| | | | | | 11 |
| | | | | | . |
| | | | | | Both Mentioned |
| | | | | | 2 |
| | | | | | . |
| ----- IMMUNIZATIONS ----- | | Birthweight | | | ----- MOTOR VEHICLE CRASHES ----- |
| Children in Grades K-12 by Compliance Level | | <1,500 gm | 9 | . | Note: These data are based on location of crash, not on residence. |
| Compliant | 43,454 | 1,500-2,499 gm | 2 | . | |
| Non-compliant | 1,209 | 2,500+ gm | 9 | . | Type of Motor Vehicle Crash |
| Percent Compliant | 97.3 | Unknown | . | . | Persons Injured |
| | | | | | Persons Killed |
| | | Perinatal | | | Total Crashes |
| | | Mortality | Deaths | Rate | 2,221 |
| | | Total Perinatal | 31 | 9.5 | 19 |
| | | Neonatal | 14 | . | Alcohol-Related |
| | | Fetal | 17 | . | 301 |
| | | | | | With Citation: |
| | | | | | For OWI |
| | | | | | 229 |
| | | | | | 4 |
| | | | | | For Speeding |
| | | | | | 147 |
| | | | | | 0 |
| | | | | | Motorcyclist |
| | | | | | 59 |
| | | | | | 3 |
| | | | | | Bicyclist |
| | | | | | 41 |
| | | | | | 0 |
| | | | | | Pedestrian |
| | | | | | 50 |
| | | | | | 0 |

HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------|---------------------|----------------|-------------------|---|--------|---------------|---------------------|----------------|-------------------|
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 1,865 | 8.1 | 4.5 | \$12,440 | \$101 | Total | 707 | 3.1 | 3.0 | \$3,335 | \$10 |
| <18 | 206 | 3.4 | 3.6 | \$11,609 | \$40 | 18-44 | 377 | 3.9 | 2.6 | \$2,602 | \$10 |
| 18-44 | 511 | 5.2 | 3.7 | \$11,598 | \$61 | 45-64 | 268 | 5.6 | 2.9 | \$3,549 | \$20 |
| 45-64 | 421 | 8.8 | 5.0 | \$13,459 | \$118 | Pneumonia and Influenza | | | | | |
| 65+ | 727 | 29.6 | 5.1 | \$12,677 | \$375 | Total | 538 | 2.3 | 4.9 | \$8,533 | \$20 |
| Injury: Hip Fracture | | | | | | <18 | 111 | 1.9 | 3.1 | \$4,795 | \$9 |
| Total | 202 | 0.9 | 5.6 | \$15,108 | \$13 | 45-64 | 71 | 1.5 | 4.9 | \$9,252 | \$14 |
| 65+ | 181 | 7.4 | 5.8 | \$15,345 | \$113 | 65+ | 300 | 12.2 | 5.5 | \$9,112 | \$111 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 162 | 0.7 | 1.7 | \$4,653 | \$3 | Total | 574 | 2.5 | 4.5 | \$10,992 | \$27 |
| 18-44 | 93 | 1.0 | 1.6 | \$4,520 | \$4 | 45-64 | 110 | 2.3 | 4.0 | \$12,567 | \$29 |
| Psychiatric | | | | | | 65+ | 439 | 17.9 | 4.4 | \$9,563 | \$171 |
| Total | 1,306 | 5.7 | 8.3 | \$6,832 | \$39 | Chronic Obstructive Pulmonary Disease | | | | | |
| <18 | 367 | 6.1 | 8.0 | \$6,797 | \$42 | Total | 453 | 2.0 | 3.6 | \$5,610 | \$11 |
| 18-44 | 615 | 6.3 | 8.3 | \$6,532 | \$41 | <18 | 101 | 1.7 | 2.7 | \$3,925 | \$7 |
| 45-64 | 230 | 4.8 | 9.4 | \$7,473 | \$36 | 18-44 | 53 | 0.5 | 3.1 | \$5,147 | \$3 |
| 65+ | 94 | 3.8 | 6.7 | \$7,365 | \$28 | 45-64 | 83 | 1.7 | 3.2 | \$5,689 | \$10 |
| Coronary Heart Disease | | | | | | 65+ | 216 | 8.8 | 4.2 | \$6,481 | \$57 |
| Total | 933 | 4.1 | 3.7 | \$17,901 | \$73 | Drug-Related | | | | | |
| 45-64 | 358 | 7.4 | 3.2 | \$18,270 | \$136 | Total | 89 | 0.4 | 9.9 | \$7,602 | \$3 |
| 65+ | 535 | 21.8 | 4.2 | \$17,675 | \$385 | 18-44 | 52 | 0.5 | 5.1 | \$5,074 | \$3 |
| Malignant Neoplasms (Cancers): All | | | | | | Total Hospitalizations | | | | | |
| Total | 885 | 3.8 | 5.8 | \$14,828 | \$57 | Total | 23,966 | 104.1 | 3.9 | \$8,046 | \$837 |
| 18-44 | 76 | 0.8 | 5.3 | \$18,089 | \$14 | <18 | 5,390 | 89.9 | 3.2 | \$4,327 | \$389 |
| 45-64 | 326 | 6.8 | 5.7 | \$15,107 | \$102 | 18-44 | 7,044 | 72.3 | 3.3 | \$5,900 | \$427 |
| 65+ | 466 | 19.0 | 5.9 | \$13,495 | \$256 | 45-64 | 4,398 | 91.4 | 4.3 | \$11,182 | \$1,022 |
| Neoplasms: Female Breast (rates for female population) | | | | | | 65+ | 7,134 | 290.5 | 4.9 | \$11,042 | \$3,208 |
| Total | 97 | 0.8 | 2.0 | \$7,838 | \$7 | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Neoplasms: Colo-rectal | | | | | | Total | 2,393 | 10.4 | 4.1 | \$6,664 | \$69 |
| Total | 103 | 0.4 | 8.0 | \$17,329 | \$8 | <18 | 419 | 7.0 | 2.6 | \$4,094 | \$29 |
| 65+ | 70 | 2.9 | 8.8 | \$18,850 | \$54 | 18-44 | 348 | 3.6 | 3.6 | \$6,349 | \$23 |
| Neoplasms: Lung | | | | | | 45-64 | 406 | 8.4 | 4.0 | \$7,472 | \$63 |
| Total | 89 | 0.4 | 6.4 | \$15,430 | \$6 | 65+ | 1,220 | 49.7 | 4.7 | \$7,367 | \$366 |
| Diabetes | | | | | | * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997. | | | | | |
| Total | 254 | 1.1 | 5.1 | \$10,652 | \$12 | | | | | | |
| 65+ | 96 | 3.9 | 6.4 | \$11,884 | \$46 | | | | | | |